

Beginning page 1, line 16

02
A cash card or credit card issued by a bank or a credit company when used requires a salesclerk at a store equipped with a compatible card terminal to operate the card terminal to read the card number stored in a magnetic stripe on the card and to enter the amount of the sales.

Beginning page 1, line 21

3
The card terminal then forms a connection with a management computer of a bank or credit company and sends information, such as the card number and the amount of the sales, to the management computer. The management computer manages such information as expiration dates, transaction limits, and loss and theft, for each card a user carries, and determines whether the card transaction is allowable based on the information regarding the card number and the amount of the transaction sent from the card terminal via communication lines. When a card transaction is allowable, the management computer sends back information to that effect and debits the transaction amount from the designated account.

Beginning page 2, line 9

A
As seen from the above, the system using a cash card or credit card requires transmitting a card verification request from a card terminal to the management computer of the bank or the credit company each time the user uses the card. The conventional system thus has a disadvantage of requiring the connection forming process, making the process of card transaction somewhat cumbersome.

Beginning page 2, line 24

B
To this end, according to one aspect of the present invention, there is provided an electronic money system, comprising: an electronic money terminal having withdrawing means for withdrawing a transaction amount from electronic money representing monetary value stored in a portable electronic device and processing means for processing a balance due when the transaction amount exceeds the amount stored in the portable electronic device; and an electronic money management means for compiling the transaction amount withdrawn from the electronic money through the electronic money terminal and the amount processed by the balance due processing means.

Beginning page 4, line 3

CB
In accordance with another aspect of the present invention, there is provided an electronic money terminal in which settlement and clearing are carried out by using electronic money contained in an electronic device comprising a processing means for processing the

6
Cm
payment of a balance due so that the payment is deferred when an amount of a transaction exceeds the amount of money data contained in the electronic device representing monetary value at the time the transaction amount is withdrawn from a balance.

Beginning page 4, line 12

a¹
The arrangement may be such that the processing means shares the balance due to a designated account or loans, namely, it determines whether the balance due is to be funded from the account or loan, or from both of them, and stores the share or the funded amount.

Beginning page 4, line 17

a²
The present invention in still another aspect provides a transaction method which uses electronic money comprising the steps of: subtracting a transaction amount from electronic money contained in an electronic device; and, processing a payment of a balance due so that the payment is deferred when the transaction amount exceeds the amount of electronic money contained in the electronic device.

Beginning page 4, line 24

aa
In this method, the deferred payment of the balance due may be funded from a designated account or by a loan.

Beginning page 5, line 1

a¹⁰ The present invention in further aspect provides an electronic money system comprising: an electronic money terminal having means for withdrawing a transaction amount from a balance on an electronic device having an information storage unit for storing electronic money representing monetary value and allowing the payment of any balance due to be deferred when the transaction amount exceeds the balance; and, an electronic money management means for compiling the transaction amount withdrawn from the balance in the electronic device through the electronic money terminal and an amount of the allowed deferred payment.

Beginning page 5, line 19

a¹¹ Preferably, the electronic money management means is arranged to record the date and time of the transaction using the electronic device and the amount of the transaction.

Beginning page 5, line 23

a¹² The user of the electronic money system having the foregoing features carries out a transaction by using an electronic device, typically an information card, which stores data representing monetary value, and when the balance on the card is short, changes the balance due to a designated account or pays by a loan. The user of the

Beginning page 6, line 9

30

14

6

14
Q driver's license, a passport, an insurance document, or the like, depending on the contents of memory mounted on the electronic device.

Thus, the present invention can be implemented in a variety of forms, and all such forms are encompassed by the scope of the present invention.

Beginning page 8, line 14

15
Q Referring now to Fig.1, an electronic money system, generally denoted by reference numeral 1, has the following components: an electronic money management unit 10 serving to issue IC cards 50 while managing electronic money and settling and clearing the electronic money account; a plurality of deposit terminals 21_x that are used to deposit electronic money (money data) into IC cards 50; a plurality of electronic money terminals 25_x located at outlets 3 for accepting payment from users through the IC cards 50 on which electronic money is held; vending machines 19 which sell commercial items to users when paid by means of the IC cards 50; and, a vending machine server 18 which stores data from the vending machines concerning the reports of uses of the IC cards 50, such as monetary amounts of transactions, dates and times.

Beginning page 10, line 2

16
Q Referring to Fig. 4, the integrated server 16 includes a CPU 16A, a storage unit 16B, a database 16C, and a communication unit 16H. The

Q 16-
Cmt
CPU 16A runs on an operating program stored in the storage unit 16B. The CPU 16A allows various transaction reports to be passed over the second LAN, through the access server 17, over the first LAN, via the security server 11 to the integrated server 16. Such transaction reports include, but may not be limited to, amount data equivalent to the amount of money deposited through the deposit terminals 21₁ to 21_n, a transaction report of the IC card 50 including IC card number, and the transaction amounts and transaction dates, which are stored in the electronic money terminals 25₁ to 25_n. The integrated server 16 receives these reports from the communication unit 16H and then stores them into the database 16C via a data bus BUS16.

Beginning page 10, line 17

Q 17
The integrated server 16 also stores in the database 16C the amount data to be withdrawn from a user's designated account, which is sent from a bank/credit card company management computer 100 (hereinafter sometimes referred to as a "management computer 100") via the electronic money server 13.

Beginning page 11, line 6

Q 18
In the issue data server 14, the IC card number of the IC card 50 issued by the issue unit 15 is registered into a database in combination with the credit card number of the user who possesses the IC card 50.

Beginning page 11, line 10

Q19 The vending machine server 18 stores transaction reports of the IC card 50 including transaction amounts and dates which have been transmitted from the vending machines 19₁ to 19_n. These reports are then delivered, for example, once a day, over the second LAN, via the security server 11 to the integrated server 16. The reports are then stored in database 16C of the integrated server 16.

Beginning page 11, line 18

Q20 According to the electronic money system 1 of the illustrated embodiment, the card issuing unit 15 in the electronic money management unit 10 issues IC (Integrated Circuit) cards 50 from/to which data can be read/written in a contactless manner. The IC cards 50 are then given to users at an issue window site 2 in each tenant company (see Fig. 1). Each of the IC cards 50 has a memory into which an IC card number is uniquely prestored.

Beginning page 12, line 1

Q21 Specifically, as shown in Figs. 5 and 6, the IC card 50 is an IC card that is free of a battery for a power supply. The IC card 50 of this type includes a flat substrate 55 used as a base, a coiled loop antenna 52 for receiving the electromagnetic wave emitted from a data

read/write unit 60 to convert it into an electric signal, a modem (modulation/demodulation) circuit 53 for modulating transmission data or demodulating received data, and a control unit 54 for analyzing the received data and generating data to be transmitted.

Beginning page 12, line 11

In the IC card 50 of this type, the electromagnetic wave emitted from the data read/write unit 60 is received by the loop antenna 52 and then transmitted as a modulated wave to the modem circuit 53. The modulated wave is demodulated by the modem circuit 53 and sent to a signal processing circuit 54 to be used as transmission data D1 that has been transmitted from the data read/write unit 60.

[Beginning page 12, line 19]

The signal processing circuit 54 incorporated a control unit 59, including a hard logic circuit or a CPU (Central Processing Unit), a memory unit including a ROM (Read Only Memory) 57, and a RAM (Random Access Memory) 58. The control unit 59 analyzes the transmission data D1 on the RAM 58 according to the program written to the ROM 57 and then reads various data D2 regarding the electronic money stored in the RAM 58 based on the analyzed transmission data D1, which is then sent to the modem circuit 53. The modem circuit 53 modulates the data D2 and delivers it to the data read/write unit 60 as an electromagnetic wave from the loop antenna 52 (see Fig. 5).

Beginning page 13, line 6

The modem circuit 53 contains a power supply circuit for converting electromagnetic wave energy into a stable dc power supply.

023 The electromagnetic wave emitted from the data read/write unit 60 and received by the loop antenna 52 is based to generate a dc power supply DC1, which is then sent to the control unit 59. A clock signal CLK1 — generated on the basis of the received electromagnetic wave also is sent to the control unit 59, while a control signal CTL1 for various controls is received from the control unit 59.

[Beginning page 13, line 15]

In the data read/write unit 60, various kinds of transmission data sent via a data bus BUS are input into a modem circuit 61, which modulates the input data according to the received data using a carrier wave of a predetermined frequency band so that the input data can be efficiently emitted as an electromagnetic wave. The modulated data is then emitted from a loop antenna 62 in the form of the electromagnetic wave.

[Beginning page 13, line 23]

Further, in the data read/write unit 60, the electromagnetic wave emitted from the IC card 50 is received as a modulated wave by the

loop antenna 62 and sent to the modem circuit 61. The modem circuit 61 demodulates the modulated wave and then sends it as data transmitted from the IC card 50 to a signal processing unit (not shown) via the data bus BUS.

Beginning page 14, line 5

A variety of information on the electronic money is stored in RAM 58 of the IC card 50 where such information is saved into a plurality of files managed with a directory. Specifically, RAM 58 of the IC card 50 stores therein management information D10, or an upper-level information unit of the directory, and electronic money information D20, or a low-level information unit of the directory. The management information D10 may include but is not limited to IC card number D11, file/directory definition information D12 and file access key 13, as shown in fig. 7A. As shown in Fig. 7B, the electronic money information D20 may include but is not limited to balance data D22 indicating a balance of electronic money, electronic money log data D23 indicating transaction reports of electronic money, a credit card flag D24 that is previously registered into the IC card 50 before the card is received by a user, as described later, and any other user information D25, such as staff number or entry/exit data. When the balance data D22 falls short of the amount data of the transaction amount while a user uses the IC card 50 for shopping and the like, the credit card flag D24 is used to indicate whether or not the balance

224
Q ent
due may be paid through a credit card. The aforementioned data are written to the files, respectively.

Beginning page 15, line 4

25
Q
The user who has received an IC card 50 is able to enter on the IC card 50 electronic money data equivalent to a desired amount of money, either by cash or cash card/credit card, via the deposit terminal 21_x shown in Fig. 1. As shown in Fig. 8, the exterior of a deposit terminal 21_x comprises a card communication unit 21D (having the same construction as that implemented by the loop antenna 62 and the modem circuit 61 in Fig. 5) for exchanging data with an IC card 50 in a contactless manner, a credit card communication unit 21E which reads out data on the magnetic stripes of cash cards/credit cards 40, a cash receiver 21J for receiving cash, a display unit 21F and an operation unit 21G provided together in a touch panel, and a receipt ejector 21I for ejecting receipts on which details of transactions are printed.

Beginning page 15, line 19

26
Q
The deposit terminal 21_x may accept different depositing methods by which electronic money data enters an IC card 50. The user may throw cash into the cash receiver 21J so that the deposit terminal 21_x will write equivalent electronic money data to the RAM 58 of the IC card 50. Alternatively, the user may insert into the credit card

226
cont

communication unit 21E either a cash card issued from a bank or a credit card issued from a credit card company. The user then specifies a desired sum to deposit by operating the operating unit 21G so that the deposit terminal 21x will transfer from a designated cash/credit card account into the IC card 50 the specified monetary value. A cash card herein refers to a card for utilizing deposits in bank accounts, while a credit card refers to a card by means of which the credit card company which has issued the credit card loans a particular amount of money to the card holder.

Beginning page 16, line 10

227

Referring to Fig. 9, a CPU 21A in a deposit terminal 21x performs a deposit processing routine, as shown in Fig. 10, according to a particular program stored in a storage unit 21B. when the user brings an IC card 50 close to the card communication unit 21D and initiates a deposit via the operation unit 21G, the CPU 21A starts the deposit processing routine (step SP10 shown in Fig. 10). The routine then proceeds to step SP11 to read out from the IC card 50 a set of information, including the card number, and to prompt the user to select the depositing method via the operation unit 21G.

Beginning page 16, line 21

228

If the user selects deposit by means of cash (hereinafter referred to as the first depositing method), CPU 21A opens the cash

Q28 cont
receiver 21J for the user to throw cash therein. When the user has thrown cash in the cash receiver 21J, CPU 21A counts the amount of received cash.

Beginning page 17, line 2

Q29
If the user selects deposit by means of cash card/credit card 40 (hereinafter referred to as the second depositing method), CPU 21A prompts the user with a message on the display unit 21 to insert a cash card/credit card 40 into the credit card communication unit 21E and to specify the amount to deposit. Accordingly, the user specifies the desired sum to be deposited via the operation unit 21G.

Beginning page 17, line 10

Q30
When the first depositing method has been selected by the user, the routine skips from step SP12 to step SP17. In step SP17, CPU 21A informs, via the card communication unit 21D, the IC card 50 of the amount of cash which has been thrown into the cash receiver 21J by the user. At this time, data indicating the cash amount is also transmitted via the communication unit 21H to the integrated server 16 of the electronic management unit 10 and then is stored therein. Thus, the control unit 59 of the IC card 50 adds electronic money value according to the received cash amount data to the balance of the electronic money value stored in RAM 58, thereby updating the balance

data D22 (shown in Fig. 7B) indicating the electronic money balance.

Beginning page 17, line 23

Q31
Alternatively, when the user has selected the second depositing method, CPU 21A proceeds with the routine from step SP12 to step SP13. In step SP13, CPU 21A reads the magnetic stripe of the cash card/credit card 40 that has been inserted into the credit card communication unit 21E to identify the number of that particular cash card/credit card. CPU 21A then transmits via communication unit 21H to the electronic money management unit (shown in Fig. 1) the number of the cash card/credit card 40, the PIN (personal identification number) for the cash card/credit card 40 that has been entered by the user via the operating unit 21G, a verification request for the cash card/credit card 40 and the requested transaction/credit amount. At this time, the mutual authentication unit 21C of the deposit terminal 21x verifies that the destination of the transmission from the CPU 21A is a legitimate one.

Beginning page 18, line 15

Q32
When the above transmission is authenticated and completed, the electronic money management unit 10 forwards via a communication line to the management computer 100 of the bank/credit card company which is in charge of the particular cash card/credit card the number of

Q32
cash card/credit card, the user-entered PIN, the verification request and the requested transaction/credit amount that have been transmitted from the deposit terminal 21x.

Beginning page 18, line 23

Q33
The bank/credit card company management computer 100 holds therein legitimate pairs of card number and corresponding PIN for each cash card/credit card that has been issued. The bank/credit card company management computer 100 compares the pair of cash/credit card number and user-entered PIN transmitted from electronic money management unit 10 against the legitimate pairs. When a match is found, the transmitted verification request is properly received by the bank/credit card company management computer 100.

Beginning page 19, line 8

Q34
The bank/credit card company management computer 100 then checks the balance of the account designated for the cash card/credit card identified by the transmitted cash card/credit card number and also determines whether or not the card is valid based on such information as expiration date of the card and any loss or theft reported for the card.

Beginning page 19, line 14

Q35
If the user-entered amount to deposit does not exceed the balance of the designated account and the cash card/credit card is found valid, the bank/credit card company management computer 100 authorizes the transaction/credit of the amount, returns a message to that effect to the electronic money management unit 10, and transfers the specified value from the designated account to the integrated server 16 of the electronic money management unit 10. On the other hand, if the use-entered amount to deposit exceeds the balance of the designated account or the cash card/credit card is found invalid, the bank/credit card company management computer 100 rejects the request for the transaction/credit of that amount and returns a message to that effect to the electronic money management unit 10.

Beginning page 20, line 3

Q36
The electronic money management unit 10 forwards the verification result to the deposit terminal 21_x. In step SP14 of the flow shown in Fig. 10, CPU 21A of the deposit terminal 21_x receives the verification result via the communication unit 21H.

Beginning page 20, line 8

Q37
If the verification result is positive, CPU 21A proceeds with the routine from step SP15 to step SP17 in which the user-specified sum is forwarded to the IC card 50. Thus, the control unit 59 of the IC card adds electronic money value according to the received sum to the

37
C37 cont
balance of the electronic money value stored in RAM 58, thereby updating the balance data D22 (shown in Fig. 7B) indicating the electronic money balance.

Beginning page 20, line 16

38
C38
Thereafter, CPU 21A ejects a receipt indicating the details of the transaction through the receipt ejector 21I to complete the deposit processing routine.

Beginning page 20, line 19

39
C39
If the verification result received in step SP14 is negative, CPU 21A proceeds with the routine from step SP15 to step SP16. In step SP16, a message is displayed on the display unit indicating that the cash card/credit card inserted into the credit card communication unit 21E by the user has not been accepted for transaction/credit of the specified amount.

Then in step SP18 the deposit processing routine ends.

Beginning page 21, line 2

40
C40
When the first depositing method is used to enter electronic money data on the IC card 50, the deposit terminal 21x transmits data indicating the electronic money value to the integrated server 16 of the electronic money management unit 10 and stores the data therein.

While, when the second depositing method is used to enter electronic money data on the IC card 50, the bank/credit card company management computer 100 transmits data indicating the electronic money value to the integrated server 16 of the electronic money management unit 10 and stores the data therein.

Beginning page 21, line 20

Different stores have their own electronic money terminals 25_x (25₁~25_n) that may be coupled to POS (Point Of Sale) registers. As shown in Fig. 11, the electronic money terminal 25_x comprises a main unit to be operated by the sales clerks and an IC card read/write unit 25K which exchanges data in a contactless manner with the IC card 50 brought close thereto by the user.

Beginning page 22, line 2

On the exterior of the main unit 25J, there are provided a display unit 25F and an operation unit 25G together in a touch panel. The operation unit 25G has arithmetic function keys 25G₁, function keys 25G₂, a ¥-100-unit key 25G₃, a ¥-1000-unit key 25G₄, and so forth. Each function key 25G₂ may be preassigned with the price of merchandise frequently sold so that the salesclerk operating the main unit 25J can readily enter the sum of a plurality of items sold by using function keys 25G₂ and arithmetic function keys 25G₁ in such combination as, for example, "F1*3+F2*2". The ¥-100-unit key 25G₃ and

Q43
the ¥-1000-unit key 25G₄ are used when salesclerk enters the price of merchandise by number entry keys of the arithmetic function keys 25G₁.

Beginning page 22, line 17

Q44
Further, on the exterior of the IC card read/write unit 25K, there are provided a card communication unit 25D (having the same construction as that formed by the combination of the loop antenna 62 and the modem circuit 61 in Fig. 5) for exchanging data with the IC card 50 in a contactless manner and a display unit 25L for displaying details of a transaction. The arrangement is such that a user using the electronic money terminal 25_x is deemed to have an intent of using IC card 50 (i.e. an intent of purchase) when the user holds the IC card 50 over (brings the IC card 50 close to) the IC card read/write unit 25K of the electronic money terminal 25_x.

Beginning page 23, line 12

Q45
Referring now to Fig. 12, CPU 25 on the electronic money terminal 25_x executes a routine for an IC card transaction in accordance with the program in Fig. 13 stored in a storage unit 25B. The CPU 25A initiates the IC card transaction routine at step SP20 when a salesclerk implements the transaction starting operation through the operation unit 25G of the main unit 25J while a user holds the IC cards 50 close to the card communication unit 25D of the IC card read/write unit 25K. Then the process proceeds to step SP21 to read such data as

45
C Unit
a card number from the IC card 50 while prompting the salesclerk to enter the sales amount though the operating unit 25G.

Beginning page 23, line 24

Q A 6
At this stage, as the salesclerk enters the price of the merchandise through the operation panel 25G, the CPU 25A further proceeds with the routing to step SP22 and performs a subtraction of the sales amount from the balance or remainder data D22 (Fig. 7B) stored in the RAM 58 on the IC card 50 based on the specific sales amount. At the same time, the CPU 25A serves to store, in the electronic money transaction memory area in the storage unit 2B of the electronic money terminal 25x, data regarding the amount of the electronic money subtracted, the card number of the IC card 50, and date/time of the transaction. The date and time of the transaction are detected by a timer 25T provided in the main unit 25J.

Beginning page 24, line 12

Q 47
When, at this stage, the sales amount is greater than the current balance (remainder) of the electronic money stored in the IC card 50, CPU 25A displays a reminding message to the display unit 25F and balance due display unit 25L and proceeds with the routine from step SP23 to step SP24 to read a credit card flag (Fig.7B) stored in the IC card 50. When a credit card transaction is allowable, step SP25 stores in the credit card transaction memory area of the storage

Qc unit 25B of the electronic money terminal 25x the amount of the balance due as an amount to be funded by a credit card transaction.

Beginning page 24, line 23

Q51 As a result of such operations, the amount fetched from the remainder on the IC card 50, the card number of the IC card 50, and the transaction date/time data are stored in the storage unit 25B of the electronic money terminal 25x as an electronic money transaction data. The amount of the credit card transaction, the card IC of the IC card 50, and transaction date/time data are stored in the storage unit 25B of the electronic money terminal 25x as credit card transaction data.

Beginning page 25, line 7

Q52 It should be noted that when the IC card 50 is handed out to an individual user, the issue data server 14 (Fig. 2) of the electronic money management unit 10 registers the account number of effective credit card issued by the credit card company each user registers and the card number of the IC card 50 at that time is set to enable the credit card transaction. Then the electronic money management unit 10 routinely checks the validity of that credit card account through interrogating the credit card company expiration date of the card, overdue payments, loss and theft information, and so forth.

Beginning page 25, line 19

53
Q If the result of this check proves that the credit card is invalid, the electronic money management unit 10 sends to each electronic money terminal 25_x (25₁-25_n) a message indicating that the credit card transaction is disabled and the number of the IC card 50 on which the invalidated credit account number is registered.

This prevents each terminal 25_x (25₁-25_n) from performing the credit card transaction for the balance due incurred upon usage of the IC card 50, displays on display units 25F and 25L a message stating insufficiency of balance, and alters the credit card flag in the memory of the IC card 50 to disable the credit card transaction.

Beginning page 26, line 6

54
Q When the status of the credit card flag set in the memory of the IC card 50 is changed to disable the credit card transaction, each electronic money terminal 25_x (25₁-25_n) conducts only electronic money transactions within the amount previously deposited. Consequently, CPU 25 on the electronic money terminal 25_x proceeds with the process from step SP24 to SP26 in Fig. 13 and displays a message indicating the credit card is invalid on the display unit 25F and 25L.

Beginning page 26, line 15

Q55
When the transaction routine using the IC card 50 is finished, CPU 25A of the electronic money terminal 25_x proceeds with the process to step SP27 and writes the particular transaction report as an electronic money log data D23 (Fig. 7B) on the RAM 58 of the IC card 50. Step SP28 then ends the IC card transaction routine.

Beginning page 26, line 21

Q56
As a consequence, storage unit 25B in the electronic money terminal 25_x stores the amount of the transaction using the electronic money previously stored on the IC card 50 and the amount of the credit card transaction conducted when the balance of the electronic money is insufficient as separate transaction reports upon usage of the IC card 50. The transaction date/time is also stored in the storage unit 25B as transaction report data along with the transaction amount.

Beginning page 27, line 5

Q57
The electronic money log data D23 (Fig. 7B) to be written on the RAM 58 of the IC card 50 is configured to include, for example, up to fifteen transaction report blocks written in a cyclic manner, each one of the transaction report blocks consisting of 32 bytes of data, providing 12 times, as shown in Fig. 14A.

Beginning page 27, line 11

259
This transaction report block contains the communication identifying information D23₁ for identifying through the IC card 50 a communication to be written on the block at the time of the transaction, the log type data D23₂ indicating the type of electronic money transaction (method of deposit, type of purchase and whether the transaction involved credit card or just electronic money) of that particular transaction report, the date/time information D23₃, the terminal number data D23₄ indicating the number of the electronic money terminal used, the transaction amount (dealing value) information D23₅ of the particular transaction report, the key version information D23₆ indicating the version of the encryption key at the time the IC card 50 is used, the balance data D23₇ indicating the balance of the electronic money in the IC card 50 after the transaction has been carried out, the communication identifying information D23₈ for identifying the communication between the electronic money terminal 25_x used for that particular transaction and the IC card 50, and the signature information D23₉ written according to the key designated by the above-described key version information D23₆.

Beginning page 28, line 7

259
Thus, the control unit 59 of the IC card 50 is

59
People

constructed to form the electronic money log data D23, including one transaction report block (Fig. 14A) for each transaction. The transaction using electronic money previously stored on the IC card 50 and the transaction using credit card when the balance of the electronic money is insufficient are reported separately, each forming a separate transaction report block.

Beginning page 28, line 15

Q60

The electronic money log data D23 thus formed each time a transaction using the IC card 50 is carried out is written on the RAM 58 of the IC card 50 at step SP27 of the above-described IC card transaction routine of Fig. 13. The log data D23 is also stored in the storage unit 25B of the electronic money terminal 25x at above-described step SP22 and step SP25 in Fig. 13.

Beginning page 28, line 22

Q61

The CPU 25A in the electronic money terminal 25x adds the card identification information D23A for identifying the IC card 50 shown in Fig. 14B to the electronic money log data D23 (Fig. 14A) and writes these information on the storage unit 25B.

Beginning page 29, line 16

Q62

When a transaction using an IC card 50 is carried out

and the electronic money log data D23 is updated, the CPU 25A of the electronic money 25_x writes the electronic money log data D23 to the Ram 58 of the IC card and also writes the card identification information D23A and the electronic money log data D23 to the storage unit 25B of the electronic money terminal 25_x. An IC card 50 stores an electronic money log data D23,, including old data of up to the past 15 times of transaction. Every time an IC card 50 is newly used, these old data included in the electronic money log data D23 and the card identification information D23A are written to the electronic money terminal 25_x at which the IC card is used.

Beginning page 30, line 4

Accordingly, every time an IC card is used, an electronic money terminal 25_x writes the electronic money log data D23 regarding the past 15 transactions to the storage unit 25B. If an old data block included in the electronic money log data D23 has the terminal number information D23₄ referring to another electronic money terminal 25_x, the terminal transaction flag D23A₂ included in the card identification information D23A denotes that the specific data block is indicating the transaction with another electronic money terminal 25_x. This denotation is used by the electronic money management unit 10 for the settle and clear process performed afterwards.

Beginning page 30, line 16

Q64 Thus, an electronic money terminal 25_x stores transaction reports (electronic money log data D23), including transaction amount, card number, and date/time information, of each time an IC card is used. Once a day, the electronic money management unit 10 collects all the transaction reports of IC cards 50 stored in each electronic money terminal 25_x (25₁ to 25_n).

Beginning page 30, line 23

Q65 From all the information included in IC card transaction reports (electronic money log data D23 and card identification information D23A) collected from electronic money terminals 25_x (25₁ to 25_n), the electronic money management unit 10 then compiles the credit card transaction information regarding each IC card in every predetermined period. The electronic money management unit 10 then transmits the compiled information and the card number of an IC card 50 to the management computer 100, according to the registered credit card account number.

Beginning page 31, line 8

Q66 At this point, the management computer 100 withdraws from the user's account the total amount of money that was determined to be paid by a credit card and transfers the total amount to the electronic money management unit 10, which stores it in the integrated server 16.

Beginning page 31, line 13

Q67
Accordingly, the amounts of money memorized as the credit card transaction amounts due to insufficiency of the electronic money in the IC card 50 are put together and withdrawn from the user's account by the management computer 100. They are stored in the integrated server 16 of the electronic money management unit 10.

Beginning page 31, line 19

Q68
As described above, even when the balance of the electronic money is insufficient, so that the balance due is determined to be paid by a credit card, the management computer 100 does not immediately implement the withdrawing process. It puts together the amounts of money for the credit card payment and withdraws from the user's account afterwards so that one communication for sending a withdrawing request from the electronic money management unit 10 to the management computer 100 will cover many transactions. Thus, a communication expense will not be incurred every time an IC card 50 is used; and, an IC card 50 (a credit card) can be used even when the sales amount are small.

Beginning page 32, line 12

Q69
More specifically, the electronic money server 13 of the electronic money management unit 10 implements the settle and clear

Q6a
Q6b
Q6c
Q6d
Q6e
Q6f
Q6g
Q6h
Q6i
Q6j
Q6k
Q6l
Q6m
Q6n
Q6o
Q6p
Q6q
Q6r
Q6s
Q6t
Q6u
Q6v
Q6w
Q6x
Q6y
Q6z
Q6aa
Q6ab
Q6ac
Q6ad
Q6ae
Q6af
Q6ag
Q6ah
Q6ai
Q6aj
Q6ak
Q6al
Q6am
Q6an
Q6ao
Q6ap
Q6aq
Q6ar
Q6as
Q6at
Q6au
Q6av
Q6aw
Q6ax
Q6ay
Q6az
Q6ba
Q6bb
Q6bc
Q6bd
Q6be
Q6bf
Q6bg
Q6bh
Q6bi
Q6bj
Q6bk
Q6bl
Q6bm
Q6bn
Q6bo
Q6bp
Q6bq
Q6br
Q6bs
Q6bt
Q6bu
Q6bv
Q6bw
Q6bx
Q6by
Q6bz
Q6ca
Q6cb
Q6cc
Q6cd
Q6ce
Q6cf
Q6cg
Q6ch
Q6ci
Q6cj
Q6ck
Q6cl
Q6cm
Q6cn
Q6co
Q6cp
Q6cq
Q6cr
Q6cs
Q6ct
Q6cu
Q6cv
Q6cw
Q6cx
Q6cy
Q6cz
Q6da
Q6db
Q6dc
Q6dd
Q6de
Q6df
Q6dg
Q6dh
Q6di
Q6dj
Q6dk
Q6dl
Q6dm
Q6dn
Q6do
Q6dp
Q6dq
Q6dr
Q6ds
Q6dt
Q6du
Q6dv
Q6dw
Q6dx
Q6dy
Q6dz
Q6ea
Q6eb
Q6ec
Q6ed
Q6ee
Q6ef
Q6eg
Q6eh
Q6ei
Q6ej
Q6ek
Q6el
Q6em
Q6en
Q6eo
Q6ep
Q6eq
Q6er
Q6es
Q6et
Q6eu
Q6ev
Q6ew
Q6ex
Q6ey
Q6ez
Q6fa
Q6fb
Q6fc
Q6fd
Q6fe
Q6ff
Q6fg
Q6fh
Q6fi
Q6fj
Q6fk
Q6fl
Q6fm
Q6fn
Q6fo
Q6fp
Q6fq
Q6fr
Q6fs
Q6ft
Q6fu
Q6fv
Q6fw
Q6fx
Q6fy
Q6fz
Q6ga
Q6gb
Q6gc
Q6gd
Q6ge
Q6gf
Q6gg
Q6gh
Q6gi
Q6gj
Q6gk
Q6gl
Q6gm
Q6gn
Q6go
Q6gp
Q6gq
Q6gr
Q6gs
Q6gt
Q6gu
Q6gv
Q6gw
Q6gx
Q6gy
Q6gz
Q6ha
Q6hb
Q6hc
Q6hd
Q6he
Q6hf
Q6hg
Q6hi
Q6hj
Q6hk
Q6hl
Q6hm
Q6hn
Q6ho
Q6hp
Q6hq
Q6hr
Q6hs
Q6ht
Q6hu
Q6hv
Q6hw
Q6hx
Q6hy
Q6hz
Q6ia
Q6ib
Q6ic
Q6id
Q6ie
Q6if
Q6ig
Q6ih
Q6ii
Q6ij
Q6ik
Q6il
Q6im
Q6in
Q6io
Q6ip
Q6iq
Q6ir
Q6is
Q6it
Q6iu
Q6iv
Q6iw
Q6ix
Q6iy
Q6iz
Q6ja
Q6jb
Q6jc
Q6jd
Q6je
Q6jf
Q6jg
Q6jh
Q6ji
Q6jj
Q6jk
Q6jl
Q6jm
Q6jn
Q6jo
Q6jp
Q6jq
Q6jr
Q6js
Q6jt
Q6ju
Q6jv
Q6jw
Q6jx
Q6jy
Q6jz
Q6ka
Q6kb
Q6kc
Q6kd
Q6ke
Q6kf
Q6kg
Q6kh
Q6ki
Q6kj
Q6kk
Q6kl
Q6km
Q6kn
Q6ko
Q6kp
Q6kq
Q6kr
Q6ks
Q6kt
Q6ku
Q6kv
Q6kw
Q6kx
Q6ky
Q6kz
Q6la
Q6lb
Q6lc
Q6ld
Q6le
Q6lf
Q6lg
Q6lh
Q6li
Q6lj
Q6lk
Q6ll
Q6lm
Q6ln
Q6lo
Q6lp
Q6lq
Q6lr
Q6ls
Q6lt
Q6lu
Q6lv
Q6lw
Q6lx
Q6ly
Q6lz
Q6ma
Q6mb
Q6mc
Q6md
Q6me
Q6mf
Q6mg
Q6mh
Q6mi
Q6mj
Q6mk
Q6ml
Q6mm
Q6mn
Q6mo
Q6mp
Q6mq
Q6mr
Q6ms
Q6mt
Q6mu
Q6mv
Q6mw
Q6mx
Q6my
Q6mz
Q6na
Q6nb
Q6nc
Q6nd
Q6ne
Q6nf
Q6ng
Q6nh
Q6ni
Q6nj
Q6nk
Q6nl
Q6nm
Q6nn
Q6no
Q6np
Q6nq
Q6nr
Q6ns
Q6nt
Q6nu
Q6nv
Q6nw
Q6nx
Q6ny
Q6nz
Q6oa
Q6ob
Q6oc
Q6od
Q6oe
Q6of
Q6og
Q6oh
Q6oi
Q6oj
Q6ok
Q6ol
Q6om
Q6on
Q6oo
Q6op
Q6oq
Q6or
Q6os
Q6ot
Q6ou
Q6ov
Q6ow
Q6ox
Q6oy
Q6oz
Q6pa
Q6pb
Q6pc
Q6pd
Q6pe
Q6pf
Q6pg
Q6ph
Q6pi
Q6pj
Q6pk
Q6pl
Q6pm
Q6pn
Q6po
Q6pp
Q6pq
Q6pr
Q6ps
Q6pt
Q6pu
Q6pv
Q6pw
Q6px
Q6py
Q6pz
Q6qa
Q6qb
Q6qc
Q6qd
Q6qe
Q6qf
Q6qg
Q6qh
Q6qi
Q6qj
Q6qk
Q6ql
Q6qm
Q6qn
Q6qo
Q6qp
Q6qq
Q6qr
Q6qs
Q6qt
Q6qu
Q6qv
Q6qw
Q6qx
Q6qy
Q6qz
Q6ra
Q6rb
Q6rc
Q6rd
Q6re
Q6rf
Q6rg
Q6rh
Q6ri
Q6rj
Q6rk
Q6rl
Q6rm
Q6rn
Q6ro
Q6rp
Q6rq
Q6rr
Q6rs
Q6rt
Q6ru
Q6rv
Q6rw
Q6rx
Q6ry
Q6rz
Q6sa
Q6sb
Q6sc
Q6sd
Q6se
Q6sf
Q6sg
Q6sh
Q6si
Q6sj
Q6sk
Q6sl
Q6sm
Q6sn
Q6so
Q6sp
Q6sq
Q6sr
Q6ss
Q6st
Q6su
Q6sv
Q6sw
Q6sx
Q6sy
Q6sz
Q6ta
Q6tb
Q6tc
Q6td
Q6te
Q6tf
Q6tg
Q6th
Q6ti
Q6tj
Q6tk
Q6tl
Q6tm
Q6tn
Q6to
Q6tp
Q6tq
Q6tr
Q6ts
Q6tt
Q6tu
Q6tv
Q6tw
Q6tx
Q6ty
Q6tz
Q6ua
Q6ub
Q6uc
Q6ud
Q6ue
Q6uf
Q6ug
Q6uh
Q6ui
Q6uj
Q6uk
Q6ul
Q6um
Q6un
Q6uo
Q6up
Q6uq
Q6ur
Q6us
Q6ut
Q6uu
Q6uv
Q6uw
Q6ux
Q6uy
Q6uz
Q6va
Q6vb
Q6vc
Q6vd
Q6ve
Q6vf
Q6vg
Q6vh
Q6vi
Q6vj
Q6vk
Q6vl
Q6vm
Q6vn
Q6vo
Q6vp
Q6vq
Q6vr
Q6vs
Q6vt
Q6vu
Q6vv
Q6vw
Q6vx
Q6vy
Q6vz
Q6wa
Q6wb
Q6wc
Q6wd
Q6we
Q6wf
Q6wg
Q6wh
Q6wi
Q6wj
Q6wk
Q6wl
Q6wm
Q6wn
Q6wo
Q6wp
Q6wq
Q6wr
Q6ws
Q6wt
Q6wu
Q6wv
Q6ww
Q6wx
Q6wy
Q6wz
Q6xa
Q6xb
Q6xc
Q6xd
Q6xe
Q6xf
Q6xg
Q6xh
Q6xi
Q6xj
Q6xk
Q6xl
Q6xm
Q6xn
Q6xo
Q6xp
Q6xq
Q6xr
Q6xs
Q6xt
Q6xu
Q6xv
Q6xw
Q6xx
Q6xy
Q6xz
Q6ya
Q6yb
Q6yc
Q6yd
Q6ye
Q6yf
Q6yg
Q6yh
Q6yi
Q6yj
Q6yk
Q6yl
Q6ym
Q6yn
Q6yo
Q6yp
Q6yq
Q6yr
Q6ys
Q6yt
Q6yu
Q6yv
Q6yw
Q6yx
Q6yy
Q6yz
Q6za
Q6zb
Q6zc
Q6zd
Q6ze
Q6zf
Q6zg
Q6zh
Q6zi
Q6zj
Q6zk
Q6zl
Q6zm
Q6zn
Q6zo
Q6zp
Q6zq
Q6zr
Q6zs
Q6zt
Q6zu
Q6zv
Q6zw
Q6zx
Q6zy
Q6zz

process shown in Fig.15, following the order from the integrated server 16 to start processing. At step SP31, transaction reports (electronic money log data D23 and card identification information D23A) are classified by the time zones of the transactions according to the Date/Time information D23₃ (Fig.14A). Meanwhile, the fee to be charged to each store to utilize the electronic money system 1 is stored in advance in the database 16C of the integrated server 16. Plural fee rates for the sales amount may be set depending on the time zones. In the present embodiment, the fee rate may be 5% when the time of the transaction using the IC card 50 is from 5:00 a.m. to 5:00 p.m. (the first time zone), and 7% for a transaction from 5:00p.m. to 5:00 a.m. (the second time zone).

Beginning page 33, line 3

Q70
Q71
Q72
Q73
Q74
Q75
Q76
Q77
Q78
Q79
Q80
Q81
Q82
Q83
Q84
Q85
Q86
Q87
Q88
Q89
Q90
Q91
Q92
Q93
Q94
Q95
Q96
Q97
Q98
Q99
Q100
Q101
Q102
Q103
Q104
Q105
Q106
Q107
Q108
Q109
Q110
Q111
Q112
Q113
Q114
Q115
Q116
Q117
Q118
Q119
Q120
Q121
Q122
Q123
Q124
Q125
Q126
Q127
Q128
Q129
Q130
Q131
Q132
Q133
Q134
Q135
Q136
Q137
Q138
Q139
Q140
Q141
Q142
Q143
Q144
Q145
Q146
Q147
Q148
Q149
Q150
Q151
Q152
Q153
Q154
Q155
Q156
Q157
Q158
Q159
Q160
Q161
Q162
Q163
Q164
Q165
Q166
Q167
Q168
Q169
Q170
Q171
Q172
Q173
Q174
Q175
Q176
Q177
Q178
Q179
Q180
Q181
Q182
Q183
Q184
Q185
Q186
Q187
Q188
Q189
Q190
Q191
Q192
Q193
Q194
Q195
Q196
Q197
Q198
Q199
Q200
Q201
Q202
Q203
Q204
Q205
Q206
Q207
Q208
Q209
Q210
Q211
Q212
Q213
Q214
Q215
Q216
Q217
Q218
Q219
Q220
Q221
Q222
Q223
Q224
Q225
Q226
Q227
Q228
Q229
Q230
Q231
Q232
Q233
Q234
Q235
Q236
Q237
Q238
Q239
Q240
Q241
Q242
Q243
Q244
Q245
Q246
Q247
Q248
Q249
Q250
Q251
Q252
Q253
Q254
Q255
Q256
Q257
Q258
Q259
Q260
Q261
Q262
Q263
Q264
Q265
Q266
Q267
Q268
Q269
Q270
Q271
Q272
Q273
Q274
Q275
Q276
Q277
Q278
Q279
Q280
Q281
Q282
Q283
Q284
Q285
Q286
Q287
Q288
Q289
Q290
Q291
Q292
Q293
Q294
Q295
Q296
Q297
Q298
Q299
Q300
Q301
Q302
Q303
Q304
Q305
Q306
Q307
Q308
Q309
Q310
Q311
Q312
Q313
Q314
Q315
Q316
Q317
Q318
Q319
Q320
Q321
Q322
Q323
Q324
Q325
Q326
Q327
Q328
Q329
Q330
Q331
Q332
Q333
Q334
Q335
Q336
Q337
Q338
Q339
Q340
Q341
Q342
Q343
Q344
Q345
Q346
Q347
Q348
Q349
Q350
Q351
Q352
Q353
Q354
Q355
Q356
Q357
Q358
Q359
Q360
Q361
Q362
Q363
Q364
Q365
Q366
Q367
Q368
Q369
Q370
Q371
Q372
Q373
Q374
Q375
Q376
Q377
Q378
Q379
Q380
Q381
Q382
Q383
Q384
Q385
Q386
Q387
Q388
Q389
Q390
Q391
Q392
Q393
Q394
Q395
Q396
Q397
Q398
Q399
Q400
Q401
Q402
Q403
Q404
Q405
Q406
Q407
Q408
Q409
Q410
Q411
Q412
Q413
Q414
Q415
Q416
Q417
Q418
Q419
Q420
Q421
Q422
Q423
Q424
Q425
Q426
Q427
Q428
Q429
Q430
Q431
Q432
Q433
Q434
Q435
Q436
Q437
Q438
Q439
Q440
Q441
Q442
Q443
Q444
Q445
Q446
Q447
Q448
Q449
Q450
Q451
Q452
Q453
Q454
Q455
Q456
Q457
Q458
Q459
Q460
Q461
Q462
Q463
Q464
Q465
Q466
Q467
Q468
Q469
Q470
Q471
Q472
Q473
Q474
Q475
Q476
Q477
Q478
Q479
Q480
Q481
Q482
Q483
Q484
Q485
Q486
Q487
Q488
Q489
Q490
Q491
Q492
Q493
Q494
Q495
Q496
Q497
Q498
Q499
Q500
Q501
Q502
Q503
Q504
Q505
Q506
Q507
Q508
Q509
Q510
Q511
Q512
Q513
Q514
Q515
Q516
Q517
Q518
Q519
Q520
Q521
Q522
Q523
Q524
Q525
Q526
Q527
Q528
Q529
Q530
Q531
Q532
Q533
Q534
Q535
Q536
Q537
Q538
Q539
Q540
Q541
Q542
Q543
Q544
Q545
Q546
Q547
Q548
Q549
Q550
Q551
Q552
Q553
Q554
Q555
Q556
Q557
Q558
Q559
Q560
Q561
Q562
Q563
Q564
Q565
Q566
Q567
Q568
Q569
Q570
Q571
Q572
Q573
Q574
Q575
Q576
Q577
Q578
Q579
Q580
Q581
Q582
Q583
Q584
Q585
Q586
Q587
Q588
Q589
Q590
Q591
Q592
Q593
Q594
Q595
Q596
Q597
Q598
Q599
Q600
Q601
Q602
Q603
Q604
Q605
Q606
Q607
Q608
Q609
Q610
Q611
Q612
Q613
Q614
Q615
Q616
Q617
Q618
Q619
Q620
Q621
Q622
Q623
Q624
Q625
Q626
Q627
Q628
Q629
Q630
Q631
Q632
Q633
Q634
Q635
Q636
Q637
Q638
Q639
Q640
Q641
Q642
Q643
Q644
Q645
Q646
Q647
Q648
Q649
Q650
Q651
Q652
Q653
Q654
Q655
Q656
Q657
Q658
Q659
Q660
Q661
Q662
Q663
Q664
Q665
Q666
Q667
Q668
Q669
Q670
Q671
Q672
Q673
Q674
Q675
Q676
Q677
Q678
Q679
Q680
Q681
Q682
Q683
Q684
Q685
Q686
Q687
Q688
Q689
Q690
Q691
Q692
Q693
Q694
Q695
Q696
Q697
Q698
Q699
Q700
Q701
Q702
Q703
Q704
Q705
Q706
Q707
Q708
Q709
Q710
Q711
Q712
Q713
Q714
Q715
Q716
Q717
Q718
Q719
Q720
Q721
Q722
Q723
Q724
Q725
Q726
Q727
Q728
Q729
Q730
Q731
Q732
Q733
Q734
Q735
Q736
Q737
Q738
Q739
Q740
Q741
Q742
Q743
Q744
Q745
Q746
Q747
Q748
Q749
Q750
Q751
Q752
Q753
Q754
Q755
Q756
Q757
Q758
Q759
Q760
Q761
Q762
Q763
Q764
Q765
Q766
Q767
Q768
Q769
Q770
Q771
Q772
Q773
Q774
Q775
Q776
Q777
Q778
Q779
Q780
Q781
Q782
Q783
Q784
Q785
Q786
Q787
Q788
Q789
Q790
Q791
Q792
Q793
Q794
Q795
Q796
Q797
Q798
Q799
Q800
Q801
Q802
Q803
Q804
Q805
Q806
Q807
Q808
Q809
Q810
Q811
Q812
Q813
Q814
Q815
Q816
Q817
Q818
Q819
Q820
Q821
Q822
Q823
Q824
Q825
Q826
Q827
Q828
Q829
Q830
Q831
Q832
Q833
Q834
Q835
Q836
Q837
Q838
Q839
Q840
Q841
Q842
Q843
Q844
Q845
Q846
Q847
Q848
Q849
Q850
Q851
Q852
Q853
Q854
Q855
Q856
Q857
Q858
Q859
Q860
Q861
Q862
Q863
Q864
Q865
Q866
Q867
Q868
Q869
Q870
Q871
Q872
Q873
Q874
Q875
Q876
Q877
Q878
Q879
Q880
Q881
Q882
Q883
Q884
Q885
Q886
Q887
Q888
Q889
Q890
Q891
Q892
Q893
Q894
Q895
Q896
Q897
Q898
Q899
Q900
Q901
Q902
Q903
Q904
Q905
Q906
Q907
Q908
Q909
Q910
Q911
Q912
Q913
Q914
Q915
Q916
Q917
Q918
Q919
Q920
Q921
Q922
Q923
Q924
Q925
Q926
Q927
Q928
Q929
Q930
Q931
Q932
Q933
Q934
Q935
Q936
Q937
Q938
Q939
Q940
Q941
Q942
Q943
Q944
Q945
Q946
Q947
Q948
Q949
Q950
Q951
Q952
Q953
Q954
Q955
Q956
Q957
Q958
Q959
Q960
Q961
Q962
Q963
Q964
Q965
Q966
Q967
Q968
Q969
Q970
Q971
Q972
Q973
Q974
Q975
Q976
Q977
Q978
Q979
Q980
Q981
Q982
Q983
Q984
Q985
Q986
Q987
Q988
Q989
Q990
Q991
Q992
Q993
Q994
Q995
Q996
Q997
Q998
Q999
Q1000

Therefore, the electronic money server 13 classifies electronic money log data D23 into the first time zone and the second time zone at step SP31 and then settles and clears the transactions according to the fee rate of each time zone.

Beginning page 33, line 8

Q1
Q2
Q3
Q4
Q5
Q6
Q7
Q8
Q9
Q10
Q11
Q12
Q13
Q14
Q15
Q16
Q17
Q18
Q19
Q20
Q21
Q22
Q23
Q24
Q25
Q26
Q27
Q28
Q29
Q30
Q31
Q32
Q33
Q34
Q35
Q36
Q37
Q38
Q39
Q40
Q41
Q42
Q43
Q44
Q45
Q46
Q47
Q48
Q49
Q50
Q51
Q52
Q53
Q54
Q55
Q56
Q57
Q58
Q59
Q60
Q61
Q62
Q63
Q64
Q65
Q66
Q67
Q68
Q69
Q70
Q71
Q72
Q73
Q74
Q75
Q76
Q77
Q78
Q79
Q80
Q81
Q82
Q83
Q84
Q85
Q86
Q87
Q88
Q89
Q90
Q91
Q92
Q93
Q94
Q95
Q96
Q97
Q98
Q99
Q100
Q101
Q102
Q103
Q104
Q105
Q106
Q107
Q108
Q109
Q110
Q111
Q112
Q113
Q114
Q115
Q116
Q117
Q118
Q119
Q120
Q121
Q122
Q123
Q124
Q125
Q126
Q127
Q128
Q129
Q130
Q131
Q132
Q133
Q134
Q135
Q136
Q137
Q138
Q139
Q140
Q141
Q142
Q143
Q144
Q145
Q146
Q147
Q148
Q149
Q150
Q151
Q152
Q153
Q154
Q155
Q156
Q157
Q158
Q159
Q160
Q161
Q162
Q163
Q164
Q165
Q166
Q167
Q168
Q169
Q170
Q171
Q172
Q173
Q174
Q175
Q176
Q177
Q178
Q179
Q180
Q181
Q182
Q183
Q184
Q185
Q186
Q187
Q188
Q189
Q190
Q191
Q192
Q193
Q194
Q195
Q196
Q197
Q198
Q199
Q200
Q201
Q202
Q203
Q204
Q205
Q206
Q207
Q208
Q209
Q210
Q211
Q212
Q213
Q214
Q215
Q216
Q217
Q218
Q219
Q220
Q221
Q222
Q223
Q224
Q225
Q226
Q227
Q228
Q229
Q230
Q231
Q232
Q233
Q234
Q235
Q236
Q237
Q238
Q239
Q240
Q241
Q242
Q243
Q244
Q245
Q246
Q247
Q248
Q249
Q250
Q251
Q252
Q253
Q254
Q255
Q256
Q257
Q258
Q259
Q260
Q261
Q262
Q263
Q264
Q265
Q266
Q267
Q268
Q269
Q270
Q271
Q272
Q273
Q274
Q275
Q276
Q277
Q278
Q279
Q280
Q281
Q282
Q283
Q284
Q285
Q286
Q287
Q288
Q289
Q290
Q291
Q292
Q293
Q294
Q295
Q296
Q297
Q298
Q299
Q300
Q301
Q302
Q303
Q304
Q305
Q306
Q307
Q308
Q309
Q310
Q311
Q312
Q313
Q314
Q315
Q316
Q317
Q318
Q319
Q320
Q321
Q322
Q323
Q324
Q325
Q326
Q327
Q328
Q329
Q330
Q331
Q332
Q333
Q334
Q335
Q336
Q337
Q338
Q339
Q340
Q341
Q342
Q343
Q344
Q345
Q346
Q347
Q348
Q349
Q350
Q351
Q352
Q353
Q354
Q355
Q356
Q357
Q358
Q359
Q360
Q361
Q362
Q363
Q364
Q365
Q366
Q367
Q368
Q369
Q370
Q371
Q372
Q373
Q374
Q375
Q376
Q377
Q378
Q379
Q380
Q381
Q382
Q383
Q384
Q385
Q386
Q387
Q388
Q389
Q390
Q391
Q392
Q393
Q394
Q395
Q396
Q397
Q398
Q399
Q400
Q401
Q402
Q403
Q404
Q405
Q406
Q407
Q408
Q409
Q410
Q411
Q412
Q413
Q414
Q415
Q416
Q417
Q418
Q419
Q420
Q421
Q422
Q423
Q424
Q425
Q426
Q427
Q428
Q429
Q430
Q431
Q432
Q433
Q434
Q435
Q436
Q437
Q438
Q439
Q440
Q441
Q442
Q443
Q444
Q445
Q446
Q447
Q448
Q449
Q450
Q451
Q452
Q453
Q454
Q455
Q456
Q457
Q458
Q459
Q460
Q461
Q462
Q463
Q464
Q465
Q466
Q467
Q468
Q469
Q470
Q471
Q472
Q473
Q474
Q475
Q476
Q477
Q478
Q479
Q480
Q481
Q482
Q

71
Q¹¹
far the transaction carried out in the first time zone and the 7% fee for the second time zone. After settling and clearing the transactions, the electronic money server 13 withdraws the profit amount according to the results of the settling and clearing from the database 16C of the integrated server 16 and transfers it to the account of each store at step SP33. At this point, the transference details, including details classified by time zones and data in total, will be distributed to each store.

Beginning page 33, line 23

Q¹²
By changing the fee rate for utilizing the electronic money system 1 according to time zones, i.e., setting a low fee rate at daytime when relatively low-priced goods tend to be sold and a high fee rate at nighttime when relatively high-priced goods tend to be sold, the fee rate reflecting the price setting at each store can be applied.

Beginning page 34, line 4

Q¹³
The operation of the above-described configuration of the electronic money system 1 will be described hereinafter. A user first deposits a certain amount of electronic money (money data) in an IC card at a deposit terminal 21_x. When the user tries to carry out the transaction using the IC card at an electronic money terminal 25_x at a certain store, if the electric money (money data) deposited in the IC card is insufficient for the amount the user intends to spend, the

73
Q 73
electronic money terminal 25_x checks the credit card flag D24 (Fig.7B). If the credit card flag is set, the balance due is memorized as the credit card transaction amount when the electronic money transaction amount is memorized. The amount data memorized as the credit card transaction amount is settled and cleared periodically by the electronic money management unit 10.

Beginning page 34, line 19

74
Q 74
Thus, even if the electronic money (money data) in an IC card is insufficient when a user carried out the transaction using the IC card 50 at an electronic money terminal 25_x in a store, the user can complete the payment by the IC card alone, without adding any cash.

Beginning page 35, line 5

75
Q 75
The data regarding the money amounts determined to be paid by credit card are collectively settled and cleared together periodically by the electronic money management unit 10, making it unnecessary to request the management computer 100 to verify each time an IC card 50 is used.

Beginning page 35, line 14

76
Q 76
Although the invention has been described though its preferred

76
Q 76
form, it should be understood that the described embodiment is only illustrative, and various changes and modifications might be imparted thereto.

Beginning page 35, line 18

Q 77
For instance, although in the described embodiment the balance due is determined by a credit card in the above description, when the electronic money deposited in the IC card is insufficient, the balance due may be paid by cash card from an account of a bank.

Beginning page 36, line 1

Q 78
Still further, although the above description assumes that an IC card is used at electronic money terminals 25x, the invention also can be implemented such that IC cards are usable on vending machines 19x, provided that the vending machines 19x are configured to have a function for funding the balance due from a credit card account or from a cash card account.

Beginning page 36, line 8

Q 79
In the described embodiment, transaction reports on IC cards 50 stored in each electronic money terminal 25x are collected once a day, and the settle and clear process is implemented once a month by the electronic money management unit 10, but various other timings of

Q collecting transaction reports from electronic money terminals 25x and implementing the settle and clear process can be applied within the scope of the present invention.

Beginning page 36, line 16

Q It should be appreciated by those skilled in the art that the function carried out by the IC card 50 described above can be incorporated in other types of portable electronic devices. Such as mobile telephone, mobile computers, watches, and so forth, and the use of such portable electronic devices in the described electronic money system falls within the scope of the present invention.

Beginning page 36, line 23

Q It should also be appreciated by those skilled in the art that usage of a memory mounted on an IC card 50 allows various additional functions besides being a carrier of the electronic money, such as identifying individuals (verifying that the person is identical by checking the registered information regarding the individual) with an employee ID. In addition, the IC card also may serve as an electronic key such as a key to enter or exit an office (for allowing a person to enter or to exit the room requiring security), railway pass, driver's license, passport, health insurance card, point awarding card, and so forth.
